

TopCoat® EPDM Coating (Water-based)

Material Safety Data Sheet

Updated: 12/08



*Quality You Can Trust Since 1886...
From North America's Largest Roofing Manufacturer™*



GAF Materials Corporation
Material Safety Data Sheet
MSDS # 1060
MSDS Date: December 2008

SECTION 1: PRODUCT AND COMPANY INFORMATION

PRODUCT NAME: TOPCOAT® EPDM Coating (Water-based)

TRADE NAME: N/A

CHEMICAL NAME / SYNONYM: N/A

CHEMICAL FAMILY: N/A

MANUFACTURER: GAF Materials Corporation

ADDRESS: 1361 Alps Road, Wayne, NJ 07470

24-HOUR EMERGENCY PHONE (CHEMTREC): 800 – 424 – 9300

INFORMATION ONLY: 800 – 766 – 3411

PREPARED BY: Randy Redwine

APPROVED BY: Phil Curry

NFPA Hazard Rating

HMIS Hazard Rating

Health	1	Health	1
Flammable	0	Flammable	0
Reactive	0	Reactive	0
Special Hazards	-	Personal Protection	X

OSHA HAZARDOUS: Yes No

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

OCCUPATIONAL EXPOSURE LIMITS

CHEMICAL NAME	CAS #	%(BY WT)	OSHA	ACGIH	OTHER
Calcium Carbonate	1317-65-3	28 - 36	15 mg/m ³ Total Dust	NE	REL: 10 mg/m ³ Total Dust
Titanium Dioxide	13463-67-7	1 - 8	15 mg/m ³ Total Dust	10 mg/m ³	REL: LOQ 0.2 mg/m ³

OCCUPATIONAL EXPOSURE LIMITS

CHEMICAL NAME	CAS #	% (BY WT)	OSHA	ACGIH	OTHER
Zinc Oxide	1314-13-2	1 - 8	5 mg/m ³ – resp. 15 mg/m ³ – total	2 mg/m ³ – resp. STEL 10 mg/m ³ – resp. STEL	REL: 5 mg/m ³ , 15 mg/m ³ – ceiling
Non-Hazardous Ingredients	N/A	48 - 56	NE	NE	NE

NE = Not Established

SECTION 3: HAZARDS IDENTIFICATION

PRIMARY ROUTE OF EXPOSURE: Skin Absorption, Inhalation, and Ingestion

SIGNS & SYMPTOMS OF EXPOSURE

EYES: Exposure to vapors may cause eye irritation.

SKIN: Slight irritation of the skin. Prolonged contact can cause reddening of the skin.

INGESTION: If patient is awake, induce vomiting.

INHALATION: Vapors or mists can cause mental sluggishness, irritation of nasal passages, throat and lungs. Can cause headaches, nausea, diarrhea, and shortness of breath.

ACUTE HEALTH HAZARDS: See above

CHRONIC HEALTH HAZARDS: None known

CARCINOGENICITY: None listed

SECTION 4: FIRST AID MEASURES

FIRST AID PROCEDURES

EYES: Flush eyes with water for 15 minutes. If irritation or reddening persists, call physician.

SKIN: Wash with soap and water.

INHALATION: Move the individual to an area with fresh air or provide oxygen immediately, call physician.

INGESTION: Call physician immediately.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: Excessive exposure can cause pulmonary edema.

SECTION 5: FIRE FIGHTING PROCEDURES

SUITABLE EXTINGUISHING MEDIA: Water spray, CO₂, dry chemical or foam for the dry film.

HAZARDOUS COMBUSTION PRODUCTS: Carbon dioxide and carbon monoxide

RECOMMENDED FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus and protective clothing.

UNUSUAL FIRE & EXPLOSION HAZARDS: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Dam up area to prevent spreading of material. Provide ventilation in closed areas. Dry up the compound using an absorbent material.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Store in a well ventilated area at temperatures between 50 – 80 °F.

OTHER PRECAUTIONS: Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS / VENTILATION: Provide sufficient mechanical ventilation to maintain exposure below exposure limits.

RESPIRATORY PROTECTION: Use NIOSH approved cartridge type respirator if there is potential to exceed exposure limit(s). Observe OSHA regulations for respiratory use (29 CFR 1910.134).

EYE PROTECTION: Splash Goggles.

SKIN PROTECTION: Wear appropriate impermeable gloves to prevent skin contact.

OTHER PROTECTIVE EQUIPMENT: N/A

WORK HYGIENIC PRACTICES: Wash exposed skin prior to eating, drinking, or smoking and at the end of each shift.

EXPOSURE GUIDELINES: N/A

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE & ODOR:	Heavy white liquid with ammonia odor.		
FLASH POINT:	>240° F	LOWER EXPLOSIVE LIMIT:	No Data
METHOD USED:	TCC	UPPER EXPLOSIVE LIMIT:	No Data
EVAPORATION RATE:	1.0	BOILING POINT:	212° F
pH (undiluted product):	No Data	MELTING POINT:	No Data
SOLUBILITY IN WATER:	Soluble	SPECIFIC GRAVITY:	1.48
VAPOR DENSITY:	No Data	PERCENT VOLATILE:	No Data
VAPOR PRESSURE:	No Data	MOLECULAR WEIGHT:	No Data
VOC WITH WATER (LBS/GAL):	No Data	WITHOUT WATER (LBS/GAL):	No Data

SECTION 10: STABILITY AND REACTIVITY

THERMAL STABILITY: STABLE UNSTABLE

CONDITIONS TO AVOID (STABILITY): N/A

INCOMPATIBILITY (MATERIAL TO AVOID): N/A

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon monoxide or carbon dioxide.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: No information available.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: No information available.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: This product, as supplied, is not regulated as a hazardous waste by the U.S. Environmental Protection Agency (EPA) under Resource Conservation and Recovery Act (RCRA) regulations. Comply with state and local regulations for disposal.

RCRA HAZARD CLASS: N/A

SECTION 14: TRANSPORTATION INFORMATION

U.S. DOT TRANSPORTATION

PROPER SHIPPING NAME: This product is not classified as a hazardous material for transport.

HAZARD CLASS: N/A

ID NUMBER: N/A

PACKING GROUP: N/A

LABEL STATEMENT: N/A

OTHER: N/A

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA: This product and its components are listed on the TSCA 8(b) inventory.

CERCLA: None

SARA

311/312 HAZARD CATEGORIES: Chronic health hazard.

313 REPORTABLE INGREDIENTS: Titanium Dioxide 13463-67-7 1-8%
Zinc Oxide 1314-13-2 1-8%
Calcium Carbonate 1317-65-3 28-36%

CALIFORNIA PROPOSITION 65: This product contains a chemical known to the state of California to cause cancer and birth defects or other reproductive harm. Cancer: Cadmium Oxide, Lead Oxide, Formaldehyde, 2-Chloro-1,3-Butadiene, Quartz / Sand, Benzene, Ethyl Benzene. Reproductive: Toluene, Benzene, Lead Oxide, Cadmium Oxide.

Other state regulations may apply. Check individual state requirements. The following components appear on one or more of the following state hazardous substances lists:

Chemical Name	CAS #	CA	MA	MN	NJ	PA	RI
Calcium Carbonate	1317-65-3	No	No	No	Yes	Yes	Yes
Titanium Dioxide	13463-67-7	No	No	Yes	Yes	Yes	Yes
Zinc Oxide	1314-13-2	Yes	No	Yes	Yes	Yes	Yes

SECTION 16: OTHER INFORMATION

ADDITIONAL COMMENTS: N/A

DATE OF PREVIOUS MSDS: June 2003

CHANGES SINCE PREVIOUS MSDS: Updated to ANSI 16 section format.

This information relates to the specific material designated and may not be valid for such material used on combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.