

Liberty™ SBS Self-Adhering Roofing System Sell Sheet

Updated: 1/09



**Quality You Can Trust Since 1886...
From North America's Largest Roofing Manufacturer!™**

LIBERTY™

SBS Self-Adhering Roofing System

Learn about
Low-Slope
Membranes

*Protect Your Building
From Fire Dangers And
Fumes By Installing....*

Self-Adhering Roofing System

A Self-Adhering Roofing System will provide long-lasting protection for the low-slope areas of your property without the danger or hassles associated with the installation of other conventional roofing products.

Liberty™ systems are applied without torches, open flames, hot asphalt, or messy solvent-based adhesives. Unlike traditional roofing systems, they can be installed easily and quickly by a small roofing crew, without the hassles of bulky equipment or unpleasant odors.

Liberty™ self-adhering roofing systems are a key part of the GAF-Elk Smart Choice™ Roof System Solution (see reverse).



LIBERTY™

SBS Self-Adhering Roofing System

NO
Torches, Open
Flames Or
Fumes!



Owner's Best Choice

- **Safer For Your Building...** Self-adhering membrane systems eliminate the need for open flames on your roof.
- **No Fumes...** Unlike conventionally-applied systems, eliminates the fumes and odors caused by hot asphalt or solvent-based adhesives.
- **The Best Choice...** For any low-slope roofing applications.
- **Proven Technology...** Based on the same technology used in GAF's commercial roofing systems—proven in the field for decades!
- **Great Warranty...** Free ltd. warranty against material defects for up to 15 years.
- **Extended Guarantee Available...** Labor and Material Guarantees and Limited Product Warranties available for both commercial and residential applications.
- **Peace Of Mind...** Backed by GAF-Elk Corporation, North America's largest roofing manufacturer.
- **Seven Popular Colors...** To complement your Timberline® or other residential shingle roof.

Professional's Best Choice

- **Safer For Your Installers...** No torches, kettles, or dangerous chemicals—may even reduce your insurance premiums!
- **Quicker Installation...** Often 1/3 faster than conventional systems, with minimal set-up or clean-up time.
- **No Extra Tools...** No need to stage expensive equipment.
- **Proven Technology...** Based on the same technology as GAF's Ruberoid® SBS modified bitumen membranes.
- **Flexible Installation Options**

Color Palette



Note: These blended colors are designed to complement your shingles, not to be an exact match. Because of the small size of these samples, it is difficult to reproduce the actual color effect. Please be sure to see a full-size roll before making a final color selection.

Applicable Standards:

- FM Approved
- UL Classified
- Miami-Dade Approved
- FBC Approved
- Texas Department of Insurance*
- Texas Department of Insurance does not apply to Liberty™ MA Base Sheet

Product Specifications (Nom.)

Liberty™ MA Base Sheet

Roll length 66 ft (20.1m)
Roll width 39.375 in (1.0m)
Roll thickness 0.068 in (1.73mm)
Roll weight 82 lbs (37.2kg)
Roll size 2 squares, 216 sq ft (20.1m²)

Liberty™ Base/Ply Sheet

Roll length 66 ft (20.1m)
Roll width 39.375 in (1.0m)
Roll thickness 0.068 in (1.73mm)
Roll weight 82 lbs (37.2kg)
Roll size 2 squares, 216 sq ft (20.1m²)

Liberty™ Cap Sheet

Liberty™ Cap FR Sheet

Roll length 34.0 ft (10.4m)
Roll width 39.375 in (1.0m)
Roll thickness 0.157 in (4.0mm)
Roll weight (Cap Sheet) 96.4 lbs (43.7kg)
Roll weight (Cap FR sheet) .. 99.8 lbs (45.2kg)
Roll size 1 square, 112 sq ft (10.4m²)



Smart Choice® ROOF SYSTEM SOLUTION


visit www.gaf.com

Roof Deck
Protection

Leak
Barrier

Low-Slope
Membranes

Pre-Cut Starter
Strip Shingles



Ridge Cap
Shingles

Attic
Ventilation

Quality
Shingles

Roof Accessory
Paint



The GAF-Elk Smart Choice® Roof System Solution has earned the prestigious Good Housekeeping Seal, which means that Good Housekeeping stands behind the products in this system (refer to Good Housekeeping Magazine for its consumer protection policy).