

Cobra[®] Exhaust Vent for Roof Ridge

Miami-Dade County Notice of Acceptance (NOA)

Updated: 2/09



*Quality You Can Trust...From
North America's Largest Roofing Manufacturer!™*

www.gaf.com



**BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION**

**MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908**

NOTICE OF ACCEPTANCE (NOA)

**GAF Materials Corporation
1361 Alps Road
Wayne, NJ 07470**

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: GAF-Elk Cobra Exhaust Vent

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This revises NOA # 08-0826.02 and consists of pages 1 through 3.
The submitted documentation was reviewed by Alex Tigera.



**NOA No. 09-0105.08
Expiration Date: 11/09/13
Approval Date: 02/11/09**

ROOFING ASSEMBLY APPROVAL

Category: Roofing
Sub-Category: 07720 Static Roof Vent
Materials: Plastic

TRADE NAMES OF PRODUCTS MANUFACTURED OR LABELED BY APPLICANT:

<u>Product</u>	<u>Dimensions</u>	<u>Test Specification</u>	<u>Product Description</u>
GAF-Elk Cobra Exhaust Vent	3/4" x 10 1/2" x 20'	TAS-100	Low pro file attic ridge vent for installation under ridge shingles.
GAF-Elk Cobra Exhaust Vent (For nail guns)	5/8" x 10 1/2" x 20'	TAS-100	Low pro file attic ridge vent for installation under ridge shingles.

EVIDENCE SUBMITTED:

<u>Test Agency/Identifier</u>	<u>Name</u>	<u>Report</u>	<u>Date</u>
Architectural Testing	TAS 100	84608.01-106-18	11/12/08
	ASTM D 1929	84608.01-106-18	11/12/08
	ASTM D 635	84608.01-106-18	11/12/08
	ASTM D 2843	84608.01-106-18	11/12/08
Center for Applied Engineering, Inc.	TAS 110	07-07-00-67	04/25/94
ETL Testing Laboratories	ASTM D 1929	509852	08/20/91
ETL Testing Laboratories	ASHEAE Standard 52-76	509907	08/23/91



NOA No. 09-0105.08
Expiration Date: 11/09/13
Approval Date: 02/11/09

APPROVED APPLICATIONS

- Tradename:** GAF-ELK COBRA EXHAUST VENT
- System Type C:** Mechanical attachment of ridge vent under composition ridge shingle.
- Slot:** Cut a 2" slot along the apex of the roof by cutting 1" on each side of the ridge. The 2" (1 3/4" for nail guns) slot shall terminate approximately 6" from the rake edge.
- Installation:** Roll out ridge vent centered over the void, and secured 10" o.c. on each side of the ridge with 2-1/2" corrosion resistant galvanized roofing nails to hold it in place until ridge shingles can be installed. (Polyurethane sealant shall be used to seal the perimeter of the vent to the roof shingles.) Extend to the rake edge. Roll ends or cut joints shall be butted together and caulked with an approved polyurethane sealant.
- Ridge Shingle:** Install pre-manufactured or field cut ridge shingles over the ridge vent in compliance with the shingle manufacturers Notice of Acceptance (NOA) and the installation instructions using 2" ring shank galvanized nails approximately 5" o.c. Apply a bead of polyurethane sealant in the shape of a "C" in between adjacent cap shingles to seal the caps.
- Net Free Area:** Refer to manufacturers published literature
- Minimum Slope:** 2:12

LIMITATIONS:

1. Refer to applicable Building Code for required ventilation.
2. Ridge vent ventilators shall not be installed on roof mean heights greater than 33 ft.
3. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 9B-72 of the Florida Administrative Code.

END OF THIS ACCEPTANCE

