Marquis Weathermax[®] Sell Sheet (RESRS122)

Updated: 7/15






Manufacturer!*

Weather Max®

"Outstanding, All-Weather Performance!"






The top of the line in traditional "3-tab" shingles, Marquis WeatherMax® Shingles are designed for the discriminating homeowner who demands outstanding performance, classic detailing, and a traditional appeal.

for **HOMEOWNERS**

- Your Best Investment... For just pennies-a-day more than standard 3-tab shingles, Marquis WeatherMax® Shingles provide outstanding, all-weather performance
- Stays In Place... Passes the industry's two toughest wind tests: ASTM's 110 mph and 150 mph (177 & 241 km/h) wind tests (under controlled laboratory conditions)
- Advanced Protection® Shingle Technology... Reduces the use of precious natural resources while providing excellent protection for your home (visit gaf.com/aps to learn more)
- *Highest Fire Rating...* Class A fire rating from Underwriters Laboratories
- *Looks Great...* Color Lock™ Ceramic Firing (granules) helps maintain the true shingle color
- Great For Resale... Long-lasting beauty may increase your home's resale value
- *Peace Of Mind...* 30-year ltd. transferable warranty with Smart Choice® Protection (non-prorated material and installation labor coverage) for the first five years¹

for PROFESSIONALS

- *Versatile...* Twice as sturdy as standard shingles, so they lie flatter and look better excellent for reroofing or complete tear-offs
- Dependable Performance.. Special Dura Grip[™] Adhesive seals faster and easier than standard shingles – and at lower temperatures





Marquis WeatherMax® Shingles have earned the prestigious Good Housekeeping Seal, which means that Good Housekeeping stands behind this product. (Refer to Good Housekeeping Magazine for its consumer protection policy. Applicable in U.S. only.)

SPECIFICATIONS

Fiberglass Asphalt Construction 30-Year Ltd. Transferable Warranty¹ 80 mph Ltd. Wind Warranty¹ Class A Fire Rated — UL 790 ASTM D3018 Type 1 ASTM D3462² ASTM D3161, Class F ASTM D7158, Class H

CSA A123.5 Approx. 79 Pieces/Square Approx. 3 Bundles/Square Approx. 316 Nails/Square 5" (127 mm) Exposure

¹ See *GAF Shingle & Accessory Ltd. Warranty* for complete coverage and restrictions.

² Periodically tested by independent and internal labs to ensure compliance with ASTM D3462 at time of manufacture.

Note: It is difficult to reproduce the color clarity and actual color blends of these products. Before selecting your color, please ask to see several full-size shingles.

gaf.com gaf.ca