




EverGuard® TPO

Single-Ply Roofing Systems



The Smooth TPO over TPO Recover Solution

GAF now offers a labor-saving, cost-effective, smooth EverGuard® TPO-over-TPO solution using GAF TPO Quick Spray adhesive.



We protect what matters most™



Labor-saving. Cost-effective. Smooth TPO adhered over TPO.

TPO has been one of the most popular roof membranes for low-slope applications for the past 20 plus years. As a result, millions of TPO roofs are now approaching end-of-life.

Until today, building owners had two options when their TPO aged out: do a complete tear-off and reroof, or opt for a relatively expensive “fleece & foam” TPO recover.

But now, GAF offers a labor-saving, cost-effective, smooth **EverGuard® TPO-over-TPO** solution using **GAF TPO Quick Spray adhesive**. Guarantees are available up to 20 yrs.*

Is your roof eligible for a **smooth TPO- over-TPO** recover?

Consider a GAF EverGuard® smooth TPO adhered over TPO recover when:

1. The existing TPO roof is **at least 5 years old**. For certain TPO roofs less than 5 years old, GAF will determine eligibility on a project-by-project basis, as specific surface preparation may be required.
2. The underlying roof structure shows no signs of delamination, wetness, or other deterioration or damage.
3. A GAF Field Service Representative has done a comprehensive pre-inspection.

Why recover with smooth EverGuard® TPO-over-TPO?

- **Get a new Guarantee at a lower cost:** The adhered GAF TPO-over-TPO solution is eligible for a full 20-year NDL Guarantee* without the expense of a complete reroof.
- **Minimize disruption and reduce labor:** Delay the noisy, time-consuming, labor-intensive, and waste-generating process of a full tear-off.
- **Virtually universal application:** GAF's smooth EverGuard® TPO adhered over TPO solution can be applied to ANY manufacturer's existing TPO membrane, whether adhered, mechanically attached, or induction welded. Additional requirements apply. Contact GAF for more information.

Approved EverGuard® TPO membranes and adhesives

TPO Membranes:

- 60 mil – 80 mil EverGuard® TPO
- 60 mil – 80 mil EverGuard Extreme® TPO

TPO Adhesives:

- EverGuard™ TPO Quick Spray Adhesive
- EverGuard™ TPO Quick Spray LV50 Adhesive
- EverGuard™ TPO 1121 Bonding Adhesive
- EverGuard™ TPO 3 Sq Low VOC Bonding Adhesive
- EverGuard™ TPO 6 Sq Low VOC Bonding Adhesive



Technical Rigor & Field Validation

Every EverGuard® smooth TPO adhered over TPO project requires three visits by a GAF Field Services Representative (FSR) in connection with the administration of its guarantee program:

1. During the **pre-inspection** visit FSRs will check to determine whether a recover of the existing roof may be eligible for coverage under a GAF guarantee, and what additional measures may need to be taken in order to obtain such coverage.
2. The **second** GAF Field Services site visit is to ensure that any additional measures that were identified by GAF during the first inspection have been completed. GAF may identify additional items that may need to be completed in order for the recover of the existing roof to be eligible for guarantee coverage.
3. At the **final inspection**, the FSR determines whether the roof is eligible to receive a 20-year NDL (No Dollar Limit) Guarantee, or whether punchlist items must be completed in order for the guarantee to issue.

* For qualified systems only. Additional requirements apply. Contact GAF for more information. See sample warranties and guarantees, available at gaf.com, for complete coverage and restrictions.

Preparing the Roof for Recover

Follow the steps below to prepare a TPO roof for an adhered smooth EverGuard® TPO recover with GAF TPO Quick Spray.

1

Remove or replace existing materials not suitable to include in new assembly

2

Remove flashing down to substrates

3

Replace roof drain TPO flashing with new flashing

4

Clean roof thoroughly following GAF specifications (see full instructions on gaf.com)

5

Conduct adhesion test
(must achieve min. 9 lb. per 2" peel strength)



Scan to learn more, talk to your Territory Manager, or locate a commercial contractor certified by GAF.

