

FLORIDA DEPARTMENT OF
Business & Professional Regulation



[DBPR HOME](#) | [ABOUT DBPR](#) | [DBPR DIVISIONS](#) | [CONTACT DBPR](#)

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [Contact Us](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

► OFFICE OF THE
SECRETARY

FL #	FL46981						
Application Type	New						
Code Version	2023						
Application Status	Approved						
Comments							
Archived	<input type="checkbox"/>						
Product Manufacturer	GAF						
Address/Phone/Email	1 Campus Drive Parispany, NJ 07054 (800) 766-3411 mstieh@gaf.com						
Authorized Signature	Michael Stieh mstieh@gaf.com						
Technical Representative							
Address/Phone/Email							
Quality Assurance Representative							
Address/Phone/Email							
Category	Roofing						
Subcategory	Underlayments						
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received						
Florida Engineer or Architect Name who developed the Evaluation Report	Zachary R. Priest						
Florida License	PE-74021						
Quality Assurance Entity	Keystone Certifications, Inc.						
Quality Assurance Contract Expiration Date	12/31/2027						
Validated By	Steven M. Urich, PE <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received						
Certificate of Independence	FL46981_R0_COI_CoI_CREEK Technical Services_2023.pdf						
Referenced Standard and Year (of Standard)	<table> <thead> <tr> <th>Standard</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>ASTM D 1970</td> <td>2017</td> </tr> <tr> <td>TAS 110</td> <td>2000</td> </tr> </tbody> </table>	Standard	Year	ASTM D 1970	2017	TAS 110	2000
Standard	Year						
ASTM D 1970	2017						
TAS 110	2000						
Equivalence of Product Standards Certified By							
Sections from the Code							

Product Approval Method

Method 1 Option D

Date Submitted08/27/2024

Date Validated08/28/2024

Date Pending FBC Approval08/31/2024

Date Approved10/15/2024

Summary of Products

FL #	Model, Number or Name	Description
46981.1	GAF Seam Tape	ASTM D 1970, 4-inch wide, self-adhered tape
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL46981_R0_II_GAF24006_2023_FBC_Eval_WaterGuard_final.pdf Verified By: Zachary R Priest PE-74021 Created by Independent Third Party: Yes Evaluation Reports FL46981_R0_AE_GAF24006_2023_FBC_Eval_WaterGuard_final.pdf Created by Independent Third Party: Yes

Back

Next

Contact Us :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:





EVALUATION REPORT

FLORIDA BUILDING CODE, 8TH EDITION (2023)

Manufacturer: GAF
1 Campus Drive
Parsippany, NJ 07054
(877) 423-7663
www.gaf.com

Issued August 27, 2024

Manufacturing Location: Pryor, OK

Quality Assurance: Keystone Certifications, Inc. (QUA1824)

SCOPE

Category: Roofing
Subcategory: Underlayments
Code Edition: Florida Building Code, 8th Edition (2023) including High-Velocity Hurricane Zones (HVHZ)
Code Sections: 1507.1.1, 1518.2
Properties: Physical properties

REFERENCES

Entity	Report No.	Standard	Year
PRi Construction Materials Technologies (TST5878)	1047T0069	ASTM D 1970 TAS 110	2017a 2000

PRODUCT DESCRIPTION AND LIMITS OF USE

GAF Seam Tape GAF Seam Tape is a nominal 60-mil thick ASTM D 1970 self-adhered tape constructed with a SBS polymer modified asphalt top coating and a non-abrasive UV stable, polymer film. The product is supplied in with nominal dimensions of 4-in, x 67-ft.

PRODUCT APPLICATION

Min. Roof Slope: 2:12 in accordance with the FBC

Roof Deck: Shall be in accordance with the FBC requirements.

Application: *Shall be installed in accordance with the FBC and the manufacturer's installation requirements.*

Substrates shall be clean, dry, and free from any irregularities and debris. All fasteners in the substrate shall be checked for protrusion and corrected prior to underlayment application. Prior to beginning installation, the product shall be unrolled and allowed to relax for a minimum of 3-5 minutes.

GAF Seam Tape shall be installed with the release backer removed and pressed firmly into place to ensure complete contact with the substrate.

Min. Application Temperature: 40°F and rising; *Contact the manufacturer when installing at temperatures below the minimum application temperature.*

Roof Coverings: Shall be in accordance with the FBC requirements.



GENERAL LIMITATIONS

- 1) Fire Classification is not within the scope of this evaluation.
- 2) Installation of the evaluated product shall comply with this report, the FBC, and the manufacturer's published application instructions. Where discrepancies exist between these sources, the more restrictive and FBC compliant installation detail shall prevail.
- 3) The space under the deck area shall be properly ventilated in accordance with the FBC requirements.
- 4) The roof deck shall be designed by others in accordance with FBC requirements to resist the design wind load pressures for components and cladding.
- 5) All products listed in this report shall be manufactured under a quality assurance program in compliance with Rule 61G20-3.

COMPLIANCE STATEMENT

This report has been prepared in accordance with F.A.C. Rule 61G20-3.



This item has been
digitally signed and
sealed by Zachary R.
Priest, PE, on 8/27/2024.

Printed copies of this
document are not
considered signed and
sealed and the signature
must be verified on any
electronic copies.

Digitally signed by Zachary R. Priest
CREEK TECHNICAL SERVICES, LLC

2024.08.27
10:25:42
-04'00'

Zachary R. Priest, P.E.
Florida Registration No. 74021
Organization No. ANE9641

CERTIFICATION OF INDEPENDENCE

CREEK Technical Services, LLC does not have, nor will it acquire, a financial interest in any company manufacturing or distributing products under this evaluation.

CREEK Technical Services, LLC is not owned, operated, or controlled by any company manufacturing or distributing products under this evaluation.

Zachary R. Priest, P.E. does not have, nor will acquire, a financial interest in any company manufacturing or distributing products under this evaluation.

Zachary R. Priest, P.E. does not have, nor will acquire, a financial interest in any other entity involved in the approval process of the product.

END OF REPORT