

FLORIDA DEPARTMENT OF  
**Business & Professional Regulation**



[DBPR HOME](#) | [ABOUT DBPR](#) | [DBPR DIVISIONS](#) | [CONTACT DBPR](#)

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [Contact Us](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



**Product Approval**  
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE  
SECRETARY

|  |  |                     |
|--|--|---------------------|
| FL #   | FL39780-R2   |                     |
| Application Type                                 | Revision   |                     |
| Code Version                                     | 2023   |                     |
| Application Status                               | Approved   |                     |
|  | *Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary. |                     |
| Comments   |  |                     |
| Archived   | <input type="checkbox"/>   |                     |
| Product Manufacturer                             | GAF  |                     |
| Address/Phone/Email                              | 1 Campus Drive<br>Parsippany, NJ 07054<br>(800) 766-3411<br>mstieh@gaf.com   |                     |
| Authorized Signature                             | Michael Stieh<br>mstieh@gaf.com  |                     |
| Technical Representative                         | Michael Stieh  |                     |
| Address/Phone/Email                              | 1 Campus Drive<br>Parsippany, NJ 07054<br>(973) 628-3000<br>mstieh@gaf.com   |                     |
| Quality Assurance Representative                 |  |                     |
| Address/Phone/Email                              |  |                     |
| Category   | Roofing  |                     |
| Subcategory                                      | Asphalt Shingles   |                     |
| Compliance Method                                | Evaluation Report from a Product Evaluation Entity   |                     |
| Evaluation Entity                                | Miami-Dade BCCO - EVL  |                     |
| Quality Assurance Entity                         | Miami-Dade BCCO - CER  |                     |
| Quality Assurance Contract Expiration Date       | 02/21/2027   |                     |
| Validated By                                     | Miami-Dade BCCO - VAL  |                     |
| Certificate of Independence                      |  |                     |
| Referenced Standard and Year (of Standard)       | <b>Standard</b><br>ASTM D3462  | <b>Year</b><br>2016 |
| Equivalence of Product Standards<br>Certified By | Approved Evaluation Entity<br><a href="#">FL39780_R2_Equiv_22122104.pdf</a>  |                     |
| Sections from the Code                           |  |                     |

|                           |                   |
|---------------------------|-------------------|
| Product Approval Method   | Method 1 Option C |
| Date Submitted            | 03/14/2024        |
| Date Validated            | 09/06/2024        |
| Date Pending FBC Approval |                   |
| Date Approved             | 09/06/2024        |

Summary of Products

| FL #  | Model, Number or Name   | Description  |
|---|---|--|
| 39780.1   | Timberline® Natural Shadow®, Timberline NS®, Timberline American® Harvest®, Timberline AH®, Timberline® HDZ™, Timberline® UHDZ™, Timberline CS®, and Fortitude™ | Fiberglass reinforced asphalt roof shingle with a laminate profile.  |
| <b>Limits of Use</b><br><b>Approved for use in HVHZ:</b> Yes<br><b>Approved for use outside HVHZ:</b> No<br><b>Impact Resistant:</b> No<br><b>Design Pressure:</b> N/A<br><b>Other:</b> |   | <b>Installation Instructions</b><br><a href="#">FL39780_R2_II_22122104.pdf</a><br>Verified By: Miami-Dade BCCO - EVL<br>Created by Independent Third Party:<br><b>Evaluation Reports</b><br><a href="#">FL39780_R2_AE_22122104.pdf</a> |

Back

Next

Contact Us :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. \*Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:





DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)  
BOARD AND CODE ADMINISTRATION DIVISION

## NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY  
PRODUCT CONTROL SECTION  
11805 SW 26 Street, Room 208  
Miami, Florida 33175-2474  
T (786) 315-2590 F (786) 315-2599  
[www.miamidade.gov/economy](http://www.miamidade.gov/economy)

**GAF**  
**1 Campus Drive**  
**Parsippany, NJ 07054**

### SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

**DESCRIPTION:** GAF Timberline® Natural Shadow®, Timberline® NS, Timberline® American Harvest®, Timberline® AH, Timberline HDZ®, Timberline® CS and Fortitude®, Timberline® UHDZ™ Shingles

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA #21-1209.01 and consists of pages 1 through 6.  
The submitted documentation was reviewed by Alex Tigera.



NOA No.: 22-1221.04  
Expiration Date: 02/21/27  
Approval Date: 09/07/23  
Page 1 of 6

## ROOFING ASSEMBLY APPROVAL

|                      |                  |
|----------------------|------------------|
| <b>Category:</b>     | Roofing          |
| <b>Sub-Category:</b> | Asphalt Shingles |
| <b>Materials:</b>    | Laminate         |
| <b>Deck Type:</b>    | Wood             |

### SCOPE

This approves **GAF Timberline® Natural Shadow®, Timberline® NS, Timberline American® Harvest®, Timberline® AH, Timberline HDZ®, Timberline® CS and Fortitude® Shingles** as manufactured by GAF as described in this Notice of Acceptance.

### PRODUCT DESCRIPTION

| <u>Product</u>   | <u>Dimensions</u> | <u>Test Specifications</u> | <u>Product Description</u>   |
|--|-------------------|----------------------------|--|
| <b>GAF Timberline® Natural Shadow® and Timberline® NS</b><br><i>Manufacturing</i><br><i>Locations #1, 2, 3, 4, 5, 6, 7</i> | 13 1/4" x 39 3/8" | TAS 110                    | Fiberglass reinforced heavy weight asphalt roof shingle, with a laminate profile |
| <b>GAF Timberline® American Harvest®</b><br><i>Manufacturing</i><br><i>Locations #2, 4, 6</i>                              | 13 1/4" x 39 3/8" | TAS 110                    | Fiberglass reinforced heavy weight asphalt roof shingle, with a laminate profile |
| <b>GAF Timberline® AH</b><br><i>Manufacturing</i><br><i>Locations #2, 4, 6, 9</i>  | 13 1/4" x 39 3/8" | TAS 110                    | Fiberglass reinforced heavy weight asphalt roof shingle, with a laminate profile |
| <b>GAF Timberline HDZ®</b><br><i>Manufacturing</i><br><i>Locations #1, 2, 3, 4, 5, 6, 7, 8, 9, 10</i>                      | 13 1/4" x 39 3/8" | TAS 110                    | Fiberglass reinforced heavy weight asphalt roof shingle, with a laminate profile |
| <b>GAF Fortitude®</b><br><i>Manufacturing</i><br><i>Location #4</i>  | 13 1/4" x 39 3/8" | TAS 110                    | Fiberglass reinforced heavy weight asphalt roof shingle, with a laminate profile |
| <b>GAF Timberline® CS</b><br><i>Manufacturing</i><br><i>Location #9</i>  | 13 1/4" x 39 3/8" | TAS 110                    | Fiberglass reinforced heavy weight asphalt roof shingle, with a laminate profile |
| <b>GAF Timberline® UHDZ™</b><br><i>Manufacturing Location #2, 4, 6, 8</i>  | 13 1/4" x 39 3/8" | TAS 110                    | Fiberglass reinforced heavy weight asphalt roof shingle, with a laminate profile |



## MANUFACTURING LOCATION

1. Tampa, FL
2. Michigan City, IN
3. Baltimore, MD
4. Myerstown, PA
5. Ennis, TX
6. Tuscaloosa, AL
7. Dallas, TX
8. Shafter, CA
9. Fontana, CA
10. Minneapolis, MN

## EVIDENCE SUBMITTED

| <u>Test Agency</u>             | <u>Test Identifier</u> | <u>Test Name/Report</u> | <u>Date</u> |
|--------------------------------|------------------------|-------------------------|-------------|
| Underwriters Laboratories, LLC | ASTM D3462             | 4790488380              | 08/22/22    |
|                                | ASTM D3462             | 4788932264              | 12/13/19    |
|                                | ASTM D3462             | 4788717529              | 01/31/19    |
|                                | ASTM D3462             | 4787344101              | 07/25/16    |
|                                | TAS 107                | 4789225984              | 11/1/19     |
|                                | TAS 107                | 4788717529              | 01/31/19    |
|                                | TAS 107                | 01NK45803               | 04/13/94    |
|                                | TAS 107                | 06NK05159               | 08/09/06    |
|                                | TAS 107                | 04NK04273               | 02/20/04    |
|                                | TAS 107                | 05CA42840               | 11/11/05    |
|                                | TAS 107                | 02NK41811               | 11/11/02    |
|                                | TAS 107                | 03CA35209               | 10/17/03    |
|                                | TAS 107                | 04CA13850               | 08/30/04    |
|                                |                        |                         |             |
| PRI Asphalt Technologies, Inc. | TAS 100                | GAF-912-02-01           | 12/17/18    |
|                                | TAS 100                | GAF-044-02-01           | 01/13/04    |
|                                | TAS 100                | GAF-098-02-01           | 11/08/05    |
|                                | TAS 100                | GAF-101-02-01           | 11/09/05    |
|                                | TAS 100                | GAF-116-02-02           | 03/23/06    |
|                                | TAS-100                | ELK-083-02-01           | 10/16/02    |
|                                |                        | ELK-084-02-01           | 10/15/02    |
|                                |                        | ELK-085-02-01           | 10/14/02    |
|                                |                        | ELK-086-02-01           | 10/24/02    |
|                                |                        | ELK-087-02-01           | 10/21/02    |
|                                |                        | ELK-088-02-01           | 10/16/02    |
|                                |                        | ELK-107-02-01           | 10/09/03    |
|                                |                        | ELK-108-02-01           | 10/09/03    |
|                                |                        | ELK-109-02-01           | 10/09/03    |



## LIMITATIONS

1. Fire classification is not part of this acceptance; refer to a current Approved Roofing Materials Directory for fire ratings of this product.
2. Shall not be installed on roof mean heights in excess of 33 ft.
3. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 61G20-3 of the Florida Administrative Code.

## INSTALLATION

1. Shingles shall be installed in compliance with Roofing Application Standard RAS 115.
2. Flashing shall be in accordance with Roofing Application Standard RAS 115
3. The manufacturer shall provide clearly written application instructions.
4. Exposure and course layout shall be in compliance with Detail 'A', attached.
5. Nailing shall be in compliance with Detail 'B', attached.

## LABELING

Shingles shall bear the imprint or identifiable marking of the manufacturer's name or logo, city and state of manufacturing facility, and following statement: "Miami-Dade County Product Control Approved" or the Miami-Dade County Product Control Seal as shown below.




## BUILDING PERMIT REQUIREMENTS


1. Application for building permit shall be accompanied by copies of the following:
  - 1.1 This Notice of Acceptance.
  - 1.2 Any other documents required by the Building Official or the applicable code in order to properly evaluate the installation of this system.



# DETAIL A COURSE LAYOUT



**DETAIL B**  
**OVERALL DIMENSIONS AND NAILING PATTERN**  
**FOR GAF TIMBERLINE® NATURAL SHADOW® AND TIMBERLINE® NS**




**ENHANCED NAILING PATTERN - six nails per shingle\***

\* required by some local codes and required for enhanced wind coverage on certain products.  
 See limited warranty for details.

These shingles **MUST** be nailed a nominal 6" (152mm) from bottom of shingle, above the cut outs, as shown. Nails must **not** be exposed.

**OVERALL DIMENSIONS AND NAILING PATTERN**  
**FOR TIMBERLINE HDZ®, TIMBERLINE® CS, TIMBERLINE® AH, TIMBERLINE® UHDZ®, AND FORTITUDE®**



**END OF THIS ACCEPTANCE**