



SECTION 1: PRODUCT AND COMPANY INFORMATION

PRODUCT NAME: TOPCOAT®Flashing – Brush Grade WOB

TRADE NAME: NA

**CHEMICAL NAME /
SYNONYM:** NA

CHEMICAL FAMILY: NA

MANUFACTURER: GAF

ADDRESS: 1 Campus Drive, Parsippany, NJ 07054

**24 HOUR EMERGENCY
PHONE: (CHEMTREC)** 800–424–9300

INFORMATION ONLY: 800–766–3411

PREPARED BY: Corporate EHS

APPROVED BY: Corporate EHS

GHS LABEL ELEMENTS:

SECTION 2: HAZARDS IDENTIFICATION

NFPA and HMIS RATINGS:

	NFPA Hazard Rating		HMIS Hazard Rating
	1		1
	0		0
	0		0
Special Hazards	-	Personal Protection	X

GHS LABEL ELEMENTS:

GHS CLASSIFICATION: Eye Irritant - Category 2A
Eye Damage - 2A
Skin Irritant - 2
Skin Corrosive - 2

GHS PICTOGRAMS:



SIGNAL WORD: Warning

HAZARD
STATEMENTS:

Causes skin irritation
 Causes serious eye irritation or damage
 May be toxic to aquatic life with long lasting effects

PRIMARY ROUTE OF EXPOSURE: Skin contact, eye contact, ingestion and inhalation.

SIGNS & SYMPTOMS OF EXPOSURE

EYES: Causes serious eye irritation or eye damage.

SKIN: Causes skin irritation. Corrosive to the skin.

INGESTION: Ingestion may cause gastric disturbances.

INHALATION: May cause respiratory tract irritation.

ACUTE HEALTH HAZARDS: Eye and skin irritation.

CHRONIC HEALTH HAZARDS: Eye and skin irritation.

CARCINOGENICITY: Based on the available information, this material cannot be classified with regard to carcinogenicity. This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS #	% (BY WT)	OCCUPATIONAL EXPOSURE LIMITS		
			OSHA	ACGIH	OTHER
Ammonium Hydroxide	1336-21-6	0-0.9	25 ppm	25 ppm	NE
Non-Hazardous Ingredients	NA	99	NE	NE	NE

NE = Not Established

SECTION 4: HAZARDS IDENTIFICATION

PRIMARY ROUTE OF EXPOSURE: Skin contact, eye contact, ingestion and inhalation.

SIGNS & SYMPTOMS OF EXPOSURE

EYES:	Causes serious eye irritation or eye damage.
SKIN:	Causes skin irritation. Corrosive to the skin.
INGESTION:	Ingestion may cause gastric disturbances.
INHALATION:	May cause respiratory tract irritation.
ACUTE HEALTH HAZARDS:	Eye and skin irritation.
CHRONIC HEALTH HAZARDS:	Eye and skin irritation.
CARCINOGENICITY:	Based on the available information, this material cannot be classified regard to carcinogenicity. This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

SECTION 5: FIRST AID MEASURES**FIRST AID PROCEDURES**

EYES:	Flush with copious amounts of water for at least 15 minutes. If irritation develops, seek medical attention.
SKIN:	Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.
INHALATION:	Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. Immediate medical attention required.
INGESTION:	Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.
NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:	Remove contaminated clothing. Symptomatic treatment (decontamination, vital functions).

SECTION 6: FIRE FIGHTING PROCEDURES

SUITABLE EXTINGUISHING MEDIA:	Water Spray, Foam, Dry powder
HAZARDOUS COMBUSTION PRODUCTS:	None known
RECOMMENDED FIRE FIGHTING PROCEDURES:	Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.
UNUSUAL FIRE & EXPLOSION HAZARDS:	Product is non combustible.

ADDITIONAL INFORMATION: Dispose of fire debris and contaminated extinguisher water in accordance with applicable regulations.

SECTION 7: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Dam up area to prevent spreading. Caution – area will be slippery. Use absorbent material to dry up the compound. Provide ventilation in closed areas.

SECTION 8: HANDLING AND STORAGE

HANDLING AND STORAGE: Store in a well ventilated area at 50 – 80°F.

OTHER PRECAUTIONS: Protect from freezing.

ENGINEERING CONTROLS / VENTILATION: Handle in accordance with good industrial hygiene and safety practice. No special measures necessary provided product is used correctly. Ensure adequate ventilation.

SECTION 9: EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: Wear a NIOSH approved organic vapor/particulate respirator as needed. Wear respiratory protection of ventilation is inadequate.

EYE PROTECTION: Wear tightly fitting chemical goggles, in addition, wear a face shield if a splash hazard exists.

SKIN PROTECTION: Don chemical resistant gloves.

OTHER PROTECTIVE EQUIPMENT: Long sleeve shirts, apron or lab coat are recommended when handling this product.

WORK HYGIENIC PRACTICES: Hands and/or face should be washed before breaks and at the end of the a work shift. Avoid contact with skin and eyes.

SECTION 10: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE & ODOR:	White paste with faint ammonia odor		
FLASH POINT:	NA	LOWER EXPLOSIVE LIMIT:	NA
METHOD USED:	NA	UPPER EXPLOSIVE LIMIT:	NA
EVAPORATION RATE:	1.0	BOILING POINT:	212° F

SECTION 15: TRANSPORTATION INFORMATION

U.S. DOT TRANSPORTATION

PROPER SHIPPING NAME: This product is not classified as a hazardous material for transport.

HAZARD CLASS: NA

ID NUMBER: NA

PACKING GROUP: NA

LABEL STATEMENT: NA

OTHER: NA

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA: Not Applicable

CERCLA: Not Applicable

SARA Not Applicable

311/312 HAZARD CATEGORIES: Not Applicable

313 REPORTABLE INGREDIENTS: Ammonium hydroxide

CALIFORNIA PROPOSITION 65: Not Applicable

Other state regulations may apply. Check individual state requirements. The following components appear on one or more of the following state hazardous substances lists:

Chemical Name	CAS #	CA	MA	MN	NJ	PA	RI
Ammonium hydroxide	1336-21-6	No	Yes	No	Yes	Yes	No

SECTION 16: OTHER INFORMATION

ADDITIONAL COMMENTS: None.

DATE OF PREVIOUS SDS: None

CHANGES SINCE PREVIOUS SDS: New SDS.

This information relates to the specific material designated and may not be valid for such material used on combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.