



- 2. REFER TO THE GAF PMMA FLASHING INSTALLATION INSTRUCTIONS FOR PROPER SURFACE TREATMENT OF ALL MATERIALS.
- 3. REFER TO GAF DETAIL 075600-905 FOR GAF PMMA FLEECE CONFIGURATIONS, CUTTING, FOLDING, & LAPPING TECHNIQUES.
- 4. PMMA FLASHING IS COVERED UNDER THE APPLICABLE SYSTEM WARRANTY.
- 5. BEFORE APPLICATION OF GAF PMMA FLASHING, GAF PMMA PASTE OR FLEXSEAL CAULK GRADE SEALANT SHOULD BE USED TO FILL VOIDS WHERE ROOFING MEMBRANES TERMINATE AT PENETRATIONS.
- GAF PMMA FLASHING MUST EXTEND A MINIMUM OF 3" PAST ALL DRILL-TEC™ PLATES AND FASTENERS.
- 7. IF THE PENETRATION IS A PVC PIPE THE PIPE SURFACE MUST BE ABRADED WITH SANDPAPER PRIOR TO APPLICATION OF GAF PMMA FLASHING.

Penetration Flashing



We protect what matters most™

Legend: Sealant

Product:GAF PMMA
Flashing

Installation Method: Over PVC

Maximum
Warranty:
See Note #4

Date: 1/9/2025

Scale: Not To Scale

Detail No. 075600 **302**