


EVERGUARD EZ FASCIA

FULLY ADHERED OR MECHANICALLY ATTACHED SINGLE-PLY VERSION



DIMENSIONS

PRODUCT ID. NO.	H DIM	X DIM	NAILER COVERAGE
☐ TE-350*	3 1/2"	2 3/4"	1 NAILER
☐ TE-475	4 3/4"	4"	2 NAILERS
☐ TE-625	6 1/4"	5 1/2"	3 NAILERS
☐ TE-775	7 3/4"	7"	4 NAILERS
☐ TE-925*	9 1/4"	8 1/2"	5 NAILERS
☐ TE-1075*	10 3/4"	10"	6 NAILERS
☐ TE-1225*	12 1/4"	11 1/2"	7 NAILERS

MATERIAL

☐ 24 Ga. Galv. Stee
☐ 22 Ga. Galv. Stee
□.040" Aluminum
\square .050" Aluminum

OTHER:

Color: _____ Finish:

Substrate: □ Wood ☐ Masonry given, wood fasteners will be provided. □ Metal

QUANTITIES

Straight Lineal Feet (12'-0" Lengths)

Radius Lineal Feet (4'-0" Lengths)*

Outside Miter (90°) (Cover Only)

Inside Miter (90°) (Cover Only)

Right Endcaps

Left Endcaps

Right Endwall Flashing

_____ Left Endwall Flashing

Downspout Scupper

Spillout Scupper

* NOTES

- Fascia cover provided with splice plates
- 3.5" face height only available in 24 ga. galv steel and .040" aluminum
- Face heights 9.25" and over only available in 22 ga. galv steel or .050" aluminum
- Pre-drill with 3/16" in. drill for masonry conditions
- Product cannot be installed on conditions smaller than 5 ft. radius
- For non-90 miters, see separate print approval
- Product should be installed per provided installation
- ANSI/SPRI/FM 4435/ES-1 Test Pressure up to 381

APPROVALS





ANSI/SPRI/FM 4435/ES-1

Test Pressures listed in notes

		-		_	ΓΙ		_
L	L	7	_	•			<i>r</i> 1
_	ĸ	u		•		17	\mathbf{C}

Date:

GAF

USA

1 Campus Drive,

973-628-3000

WWW.GAF.COM

Parsippany, NJ 07054

PROJECT INF	-0				
Project Name:					
Architect:					
Roofing Contractor:					
Project Type:					
By selecting this box you have verified and confirmed that dimensions, sizes, and quantities are correct. All products will be					
installed in strict accordance with printed instructions.	SHT# of				
	DATE: 05/28/24				

DRN BY: PL

DWG #: 25010-36946

CKD BY:

REV: