



GAF
Safety Data Sheet
SDS # 2110
SDS Date: March 2020

SECTION 1: PRODUCT AND COMPANY INFORMATION

PRODUCT NAME: TruSlate™ UnderBlock™ UV & Moisture Barrier

TRADE NAME: TruSlate™

MANUFACTURER: GAF

ADDRESS: 1 Campus Drive, Parsippany, NJ 07054

**24-HOUR EMERGENCY
PHONE (CHEMTREC):** 800 – 424 – 9300

INFORMATION ONLY: 800 – 766 – 3411

SECTION 2: HAZARDS IDENTIFICATION

As defined in the OSHA Hazard Communication Standard, 29 CFR 1910.1200, the products listed below are considered articles and do not require an SDS. In addition, articles are not included in the scope of the Globally Harmonization System (GHS). As such, the GHS labeling elements are not included on this SDS. All components listed for this product are bound within the product. When handled as intended and under normal conditions of use, there is no evidence that any of the ingredients are released in amounts that pose a significant health risk. Although these products are not subject to the OSHA Standard or GHS labeling elements, GAF would like to disclose as much health and safety information as possible to ensure that this product is handled and used properly. This SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and be made available for employees and other users of this product. In addition, the recommendations for handling and use of these products should be included in worker training programs.

ADDITIONAL HAZARD IDENTIFICATION INFORMATION:

PRIMARY ROUTE OF EXPOSURE: Skin contact

SIGNS & SYMPTOMS OF EXPOSURE

EYES: May cause irritation to the eyes.

SKIN: May cause irritation to the skin.

INGESTION: This product is not intended to be ingested. If ingested, it may cause temporary irritation to the gastrointestinal (digestive) tract.

INHALATION: May cause irritation to the respiratory tract. The sheet is not expected to be an inhalation hazard under normal processing conditions. If the material is processed under prolonged exposure to flame or high temperature, thermal burns to the skin may occur,

and the gases produced may irritate the respiratory system

ACUTE HEALTH HAZARDS: None known.

CHRONIC HEALTH HAZARDS: None known.

CARCINOGENICITY: Carbon Black is classified as a 2B carcinogen (possibly carcinogenic to humans) by the International Agency for Research on Cancer (IARC).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

			OCCUPATIONAL EXPOSURE LIMITS		
CHEMICAL NAME	CAS #	% (BY WT)	OSHA	ACGIH	OTHER
Ethylene-Hexene-1 Copolymer	25213-02-9	95 – 99	NE	NE	NE
Carbon Black	1333-86-4	1 – 5	3.5 mg/m3	3.5 mg/m3	REL: 3.5 mg/m3

NE = Not Established

SECTION 4: FIRST AID MEASURES

FIRST AID PROCEDURES

EYES: If there is contact to the eyes with molten material, rinse with plenty of water and seek immediate medical attention. If fines enter the eye, rinse with water for 15 minutes, and seek immediate medical attention if irritation develops.

SKIN: If skin has contact with molten material, place affected area under cold running water. Seek medical attention for removal of material from the affected area.

INHALATION: Remove affected individual to fresh air, seek medical attention if difficulties in breathing occur.

INGESTION: Not expected to be ingested.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: No information available

SECTION 5: FIRE FIGHTING PROCEDURES

SUITABLE EXTINGUISHING MEDIA:	Dry chemical, water, carbon dioxide, foam.
HAZARDOUS COMBUSTION PRODUCTS:	During a fire, carbon dioxide, carbon monoxide, water vapor, and trace organic compounds may be generated by combustion and thermal decomposition of the material.
RECOMMENDED FIRE FIGHTING PROCEDURES:	Firefighters should be equipped with self-contained breathing apparatus.
UNUSUAL FIRE & EXPLOSION HAZARDS:	Not applicable.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:	Pick up or sweep up large pieces.
-------------------------------------	-----------------------------------

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE:	Store in well ventilated area, avoid extreme heat and any sources of ignition, or open flames.
OTHER PRECAUTIONS:	When reprocessing material for secondary use, ground all handling equipment. Keep material and dust produced away from high heat and flame. Use good housekeeping practices when reprocessing material.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS / VENTILATION:	Not applicable.
RESPIRATORY PROTECTION:	During processing respiratory protection may not be necessary if ventilation is adequately provided. At excessive processing temperatures, breathing protection may be required.
EYE PROTECTION:	Safety glasses with side shields.
SKIN PROTECTION:	Gloves may be required when processing the sheet due to sharp edges and when plastic is in the molten state.
OTHER PROTECTIVE EQUIPMENT:	None
WORK HYGIENIC PRACTICES:	Wash exposed skin prior to eating, drinking or smoking and at the end of each shift.

EXPOSURE GUIDELINES: Not applicable.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE & ODOR:	Solid plastic sheet; no appreciable odor.		
FLASH POINT:	650 °F	LOWER EXPLOSIVE LIMIT:	No data
METHOD USED:	No data	UPPER EXPLOSIVE LIMIT:	No data
EVAPORATION RATE:	No data	BOILING POINT:	No data
pH (undiluted product):	No data	MELTING POINT:	230 °F – 275 °F
SOLUBILITY IN WATER:	No data	SPECIFIC GRAVITY:	No data
VAPOR DENSITY:	No data	PERCENT VOLATILE:	No data
VAPOR PRESSURE:	No data	MOLECULAR WEIGHT:	No data
VOC WITH WATER (LBS/GAL):	No data	WITHOUT WATER (LBS/GAL):	No data

SECTION 10: STABILITY AND REACTIVITY

THERMAL STABILITY: **STABLE** ☒ **UNSTABLE** ☐

CONDITIONS TO AVOID (STABILITY): Avoid temperatures of 650 °F or above.

INCOMPATIBILITY (MATERIAL TO AVOID): Strong oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon monoxide, carbon dioxide, water vapor, and trace organic compounds.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: No information available.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: No information available.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Comply with state and local regulations for disposal.

RCRA HAZARD CLASS: None

SECTION 14: TRANSPORTATION INFORMATION**DOT (US)**

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

SECTION 15: REGULATORY INFORMATION**U.S. FEDERAL REGULATIONS**

TSCA: This product and its components are listed on the TSCA 8(b) inventory.

CERCLA: None

SARA

311/312 HAZARD CATEGORIES: None

313 REPORTABLE INGREDIENTS: None

CALIFORNIA PROPOSITION 65: This product can expose you to chemicals including carbon black which is known to the State of California to cause cancer.

Other state regulations may apply. Check individual state requirements. The following components appear on one or more of the following state hazardous substances lists:

Chemical Name	CAS #	CA	MA	MN	NJ	PA	RI
Ethylene-Hexene-1 Copolymer	25213-02-9	No	No	No	No	No	No

Carbon Black	1333-86-4	Yes	Yes	Yes	Yes	Yes	Yes

SECTION 16: OTHER INFORMATION

ADDITIONAL COMMENTS: None.

DATE OF PREVIOUS SDS: December 2014.

CHANGES SINCE PREVIOUS SDS: Section 15 updates.

This information relates to the specific material designated and may not be valid for such material used on combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.