# SAFETY DATA SHEET



# 1. Identification

**Product identifier** UNISEAL

Other means of identification

Recommended use Epoxy primer/sealer. Manufacturer/Importer/Supplier/Distributor information

Manufacturer

**GAF** Company name

1 Campus Drive

Parsippany, NJ 07054 USA

**Telephone** 1-800-766-3411

CHEMTREC [DAY OR NIGHT] 1-800-424-9300 **Emergency phone number** 

> Within USA and CANADA 1-800-424-9300 Outside USA and Canada: 1703-741-5970

2. Hazard(s) identification

Physical hazards None

**Health hazards** Sensitization, skin Category 1

> Carcinogenicity Category 2

**Environmental hazards** Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

long-term hazard

Category 3

**OSHA** defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** May cause an allergic skin reaction. Suspected of causing cancer. Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

> and understood. Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective

gloves/protective clothing/eye protection/face protection.

Response If on skin: Wash with plenty of water. If exposed or concerned: Get medical advice/attention. If

skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before

reuse. In case of fire: Use appropriate media to extinguish.

Store in a well-ventilated place. Keep cool. Store lockedup. **Storage** 

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: UNISEAL SDS US Version #: 02 Revision date: 05-27-2018 1/8

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Water		7732-18-5	80 to <90
Nonylphenoxypoly(ethyleneoxy)e		9016-45-9	0.1 to <1
Pure (Methyl Ethyl Ketoxime)		96-29-7	0.1 to <1
Other components below reportable I	evels		10 to <20

#### 4. First-aid measures

Call a physician if symptoms develop or persist. Inhalation

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Dermatitis, Rash.

Most important

symptoms/effects, acute and

delayed Indication of immediate

medical attention and special treatment needed

Direct contact with eyes may cause temporary irritation. May cause an allergic skin reaction.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

During fire, gases hazardous to health may be formed.

Do not use water jet as an extinguisher, as this will spread thefire.

of the material(s) involved, and take precautions to protect themselves. Wash contaminated

clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

General fire hazards

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

None.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: UNISEAL Version #: 02 Revision date: 05-27-2018

# Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

#### **Environmental precautions**

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

## 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	
Pure (Methyl Ethyl Ketoxime) (CAS 96-29-7)	TWA	36 mg/m3	
, ,		10 nnm	

# Biological limit values

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Not available.

Material name: UNISEAL

Version #: 02 Revision date: 05-27-2018

Odor Not available. Odor threshold Not available. Not available. Not available.

Melting point/freezing point

Initial boiling point and boiling

212 °F (100 °C) estimated

range

>212 °F (100 °C) Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not applicable.

Flammability limit - upper

(%)

Not applicable..

Not available.

**Explosive limit - lower (%)** Not applicable. Explosive limit - upper (%) Not applicable. Not available. Vapor pressure Not available. Vapor density

Relative density Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information

**Density** 8.35 lbs/gal Flammability class Not applicable. 88.27 % Percent volatile 1

Specific gravity

VOC 95.4 g/l Regulatory estimated 12.5 g/l Material estimated

0.7 lbs/gal Regulatory estimated 0.1 lbs/gal Material estimated

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability** 

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

SDS US

4/8

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible

materials.

Strong oxidizing agents. Incompatible materials

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

## 11. Toxicological information

## Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Material name: UNISEAL

Version #: 02 Revision date: 05-27-2018

Symptoms related to the physical, chemical and toxicological characteristics May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

May cause an allergic skin reaction. Acute toxicity

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

Respiratory sensitization

Respiratory or skin sensitization

Skin sensitization May cause an allergic skin reaction.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Not a respiratory sensitizer.

Carcinogenicity Suspected of causing cancer.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

### 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

**Test Results** Components **Species** 

Nonylphenoxypoly(ethyleneoxy)e (CAS9016-45-9)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 12.2 mg/l, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 1 - 1.8 mg/l, 96 hours

Pure (Methyl Ethyl Ketoxime) (CAS 96-29-7)

Aquatic

LC50 Fish Fathead minnow (Pimephales promelas) 777 - 914 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

**Bioaccumulative potential** 

No data available. Mobility in soil

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Material name: UNISEAL

SDS US Version #: 02 Revision date: 05-27-2018 5/8

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

#### Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established

## 15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

TSCA Chemical Action Plans, Chemicals of Concern

Nonylphenoxypoly(ethyleneoxy)e (CAS 9016-45-9) Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action

Plan

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Nonylphenoxypoly(ethyleneoxy)e (CAS 9016-45-9) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

> Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

Version #: 02 Revision date: 05-27-2018 6/8

chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Nonylphenoxypoly(ethyleneoxy)e	9016-45-9	0.1 to <1

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Nonylphenoxypoly(ethyleneoxy)e (CAS9016-45-9)

## **US. Massachusetts RTK - Substance List**

Not regulated.

#### US. New Jersey Worker and Community Right-to-Know Act

Nonylphenoxypoly(ethyleneoxy)e (CAS9016-45-9)

## US. Pennsylvania Worker and Community Right-to-Know Law

Nonylphenoxypoly(ethyleneoxy)e (CAS9016-45-9)

#### **US. Rhode Island RTK**

Nonylphenoxypoly(ethyleneoxy)e (CAS9016-45-9)

#### **US. California Proposition 65**

Not listed.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Material name: UNISEAL

Version #: 02 Revision date: 05-27-2018

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

06-07-2016 Issue date 05-27-2018 **Revision date:** 

Version # 02

**HMIS®** ratings Health: 2\*

Flammability: 0 Physical hazard: 0

NFPA ratings

Flammability: 0 Instability: 0

**Disclaimer** This information relates to the specific material designated and may not be valid for such material

used on combination with any other materials or in any process. Such information is to the best of

our knowledge and belief accurate and reliable as of the date compiled. However, no

representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. GAF cannot anticipate all conditions under which this information and product, or the products of other manufacturers in combination with this product, may be used. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. The information given is designed only as guidance for safe handling, use,

processing, storage, transportation, disposal and release. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.

**Revision Information** Revisions to Section 15.

Material name: UNISEAL

SDS US Version #: 02 Revision date: 05-27-2018 8/8